

# Massachusetts Acute Care Hospital Emergency Department Data – Quarterly Update

October 2019 through  
September 2025 (Preliminary)

February 2026

Technical Appendix



---

# Massachusetts Acute Care Hospital Emergency Department Data—Quarterly Update

October 2019 Through September 2025 (Preliminary)

## TECHNICAL APPENDIX

### Contents

Introduction .....2

Data Source .....2

Hospital Characteristics .....3

Calculated Measures .....5

Data Categorizations and Groupings .....6

Notes .....10

Appendix A. CCSR Category MBD026 and MBD034 Behavioral Health Classification .....11

---

## Introduction

This technical appendix provides details on the methodology used for the dashboard *Massachusetts Acute Care Hospital Emergency Department Data (Quarterly Update): October 2019 through September 2025 (Preliminary)* released by the Massachusetts Center for Health Information and Analysis (CHIA) in November 2025. This appendix describes the main characteristics of Massachusetts emergency departments as well as details on several of the calculated measures, data categorizations, and groupings used in the report.

## Data Source

For this report, the Emergency Department Database (EDD) of CHIA's Acute Hospital Case Mix Databases (Case Mix) was used as the source data. The EDD is a visit-level file including patient socio-demographics, diagnostic information, treatment and service information, and hospital charges. The EDD consists of all treat-and-release ED visits, or visits resulting in neither an inpatient admission nor an observation stay, at all acute care hospitals in the Commonwealth. This includes freestanding EDs associated with an acute care hospital. For general information about CHIA's Case Mix Data, including the EDD and other Case Mix databases, please see the [Overview of the Massachusetts Acute Hospital Case Mix Databases](#) and additional information about the [Case Mix data on CHIA's website](#).

There were 61 emergency departments reported on between FFY 2020 – Q4 of FFY 2025. Closures during this period included:

- Steward Norwood Hospital (Org Id 41) temporarily closed on June 29, 2020 due to flooding. EDD was not reported for FFY21.
- Leonard Morse Hospital (Org Id 457), a campus of MetroWest Medical Center, closed their Emergency Department on October 25, 2020. EDD was only reported for Q1 of FFY 2021.
- Baystate Mary Lane Outpatient Center and Satellite Emergency facility (Org Id 6) permanently closed on June 3, 2021. Services were consolidated to Baystate Wing Hospital (Org Id 139). EDD was only reported for the first three quarters of FFY 2021.
- Cambridge Health Alliance closed their Emergency Department at Somerville Hospital (Org Id 143) on April 30, 2020. EDD was not reported for FFY 2021.
- Signature Healthcare Brockton Hospital (Org Id 25) closed on February 27, 2023, due to a nine-alarm fire. EDD was not reported for March FFY 2023.
- North Adams Regional Hospital (Org Id 21965) closed on March 28, 2014 and reopened on March 28, 2024.

Hospitals not included in this quarterly analysis due to quality concerns:

- North Adams Regional Hospital (March 2024 – Present)

Interim EDD data for Quarter 3 of Federal Fiscal Year (FFY) 2025 (January 2025 to September 2025) were used in this quarterly update, which means the processing, verification and cleaning that occurs at CHIA is not final; hence

---

the data are considered preliminary. Future updates to the Case Mix Data may result in slightly different estimates than are presented here as more complete data are made available.

## Hospital Characteristics

For this report, all ED visits, including those at freestanding EDs, are classified by the hospital characteristics of their associated acute care hospital.

### Hospital Cohort

Hospitals are assigned to one of five mutually exclusive groups of similar hospitals: academic medical centers (AMCs), teaching hospitals, community-High Public Payer (HPP) hospitals, other community hospitals, and specialty hospitals.

- AMCs are characterized by extensive research and teaching programs, comprehensive resources for tertiary and quaternary care, being principal teaching hospitals for their respective medical schools, and being full-service hospitals with case mix intensity greater than 5% above the statewide average.
- Teaching hospitals are hospitals that report at least 25 full-time equivalent medical school residents per one hundred inpatient beds in accordance with the Medicare Payment Advisory Commission (MedPAC) and are not classified as AMCs.
- Community-High Public Payer (HPP) hospitals are hospitals that do not meet the MedPAC definition to be classified as teaching hospitals and have 63% or greater of Gross Patient Service Revenue (GPSR) attributable to Medicare, MassHealth, and other government payers, including the Health Safety Net.
- Community hospitals are hospitals that do not meet the MedPAC definition to be classified as teaching hospitals and have a public payer mix of less than 63%.
- Specialty hospitals are hospitals that serve unique patient populations or provide unique sets of services.

### High Public Payer Status

A hospital is classified as High Public Payer (HPP) if 63% or greater of its GPSR come from public or government payers such as Medicare, MassHealth, or other government payers, as determined by the Executive Office of Health and Human Services (EOHHS) based on the hospital's Massachusetts Hospital Cost Report. Not all hospitals defined as HPP are Community-HPP; some non-Community hospitals are classified as HPP, but this distinction is not made in the cohort classification.

### Trauma Level

ED visits were categorized by hospital trauma designation approved by the Massachusetts Department of Public Health (DPH) and verified by the American College of Surgeons (ACS).[1] Trauma designations for hospitals in this report included level I (highest), level II, and level III. Visits to hospitals without a trauma designation were grouped as "non-trauma". Some hospitals have separate adult and pediatric trauma designations; ED visits for these hospitals were classified using the age-appropriate trauma designation level based on patient age on the date of arrival at the ED. In 2024, there were 8 adult and 4 pediatric trauma level I designated hospitals, 1 adult and 2 pediatric level II trauma designated hospitals, and 7 adult and 0 pediatric level III trauma designated hospitals.

## Multi-Acute Hospital System Affiliation

Some Massachusetts hospitals are affiliated with a larger health system. Health systems may include multiple hospitals and/or provider organizations while others may have only one hospital with associated providers or provider organizations. Multi-acute hospital system membership identifies those health systems with more than one acute hospital. This information was derived from Audited Financial Statements. Hospitals not affiliated with a larger health system were categorized as an independent hospital; these hospitals were grouped together only for the purpose of reporting at the hospital system level.

Beginning FFY 2025 (October 2024), Steward Health Care is no longer active in Massachusetts. Following the sale of the former Steward hospitals to new operators, 3 new multi-hospital systems were established or gained presence in Massachusetts, including Boston Medical Center (BMC) Health System (after purchasing St. Elizabeth’s Medical Center and Good Samaritan Medical, now called BMC – Brighton and BMC – South, respectively), Lawrence General Hospital and Affiliates (after purchasing Holy Family Hospital), and Brown University Health (an existing health system based out of Rhode Island, after purchasing St. Anne’s Hospital and Morton Hospital).

Below is a list of Massachusetts multi-acute hospital systems and their acute hospital members as of the time of this publication::

**Table 1. Acute Hospitals by Multi-Acute Hospital System Affiliation**

MULTI-ACUTE HOSPITAL SYSTEM	ACUTE HOSPITAL MEMBER
Baystate Health	Baystate Franklin Medical Center Baystate Medical Center Baystate Noble Baystate Wing Hospital
Berkshire Health Systems	Berkshire Medical Center Fairview Hospital
Beth Israel Lahey Health	Anna Jaques Hospital Beth Israel Deaconess Hospital – Milton Beth Israel Deaconess Hospital – Needham Beth Israel Deaconess Hospital – Plymouth Beth Israel Deaconess Medical Center Lahey Hospital & Medical Center Mount Auburn Hospital New England Baptist Hospital Northeast Hospital Winchester Hospital
Boston Medical Center Health System	Boston Medical Center Boston Medical Center – Brighton ( <i>formerly Steward St. Elizabeth’s Medical Center</i> ) Boston Medical Center – South ( <i>formerly Steward Good Samaritan Medical Center</i> )
Brown University Health*	Morton Hospital ( <i>formerly Steward Morton Hospital</i> ) Saint Anne’s Hospital ( <i>formerly Steward Saint Anne’s Hospital</i> )
Cape Cod Healthcare	Cape Cod Hospital Falmouth Hospital
Heywood Healthcare	Athol Hospital Heywood Hospital

Lawrence General Hospital and Affiliates	Lawrence General Hospital Holy Family Hospital
Mass General Brigham	Brigham and Women's Hospital Brigham and Women's Faulkner Hospital Cooley Dickinson Hospital Martha's Vineyard Hospital Massachusetts Eye and Ear Infirmary Massachusetts General Hospital Nantucket Cottage Hospital Newton-Wellesley Hospital North Shore Medical Center
UMass Memorial Health Care	HealthAlliance-Clinton Hospital Marlborough Hospital UMass Memorial Medical Center Harrington Memorial Hospital
Tufts Medicine	Lowell General Hospital MelroseWakefield Hospital Tufts Medical Center
Tenet Healthcare <sup>^</sup>	MetroWest Medical Center Saint Vincent Hospital
Independent Health System	Boston Children's Hospital Cambridge Health Alliance Dana-Farber Cancer Institute Emerson Hospital Harrington Memorial Hospital Holyoke Medical Center Mercy Medical Center Milford Regional Medical Center Signature Healthcare Brockton Hospital South Shore Hospital Southcoast Hospitals Group Sturdy Memorial Hospital

<sup>\*</sup>Brown University Health is a not-for-profit health system based in Rhode Island.

<sup>^</sup>Tenet Healthcare Corporation is a multi-state health system with a large presence outside of Massachusetts. Tenet owns MetroWest Medical Center and Saint Vincent Hospital.

## Calculated Measures

### Age

Patient age in years was calculated from the date of the emergency department (ED) visit arrival and the patient's date of birth. Visits were suppressed from the report for all analyses using patient age if the date of birth was missing or invalid, or if the calculated age exceeded 115 years. The number of visits missing age data was 285 in FFY 2019, 365 in FFY 2020, 605 in FFY 2021, 713 in FFY 2022, 617 in FFY 2023, in 597 in FFY 2024, and 577 in FFY 2025.

### Length of Stay

Length of stay (LOS) was calculated by subtracting the arrival date and time from the departure date and time and is reported in hours. Average length of stay (ALOS) is an aggregate measure of the mean LOS within a certain category or group.

---

Five outlier months were removed when calculating the length of stay including April 2019 at Tufts Medical Center, March 2020 at Brigham and Women’s Hospital, January 2022 at Sturdy Memorial Hospital, May 2023 at Metrowest Hospital, and May 2023 at Saint Vincent’s Hospital. The number of visits with missing length of stay due to missing date and/or time of arrival or departure, or invalid data, was 26 in FFY, 19 in FFY 2020, 26 in FFY 2021, 11 in FFY 2022, 9 in FFY 2023, and 16 in FFY 2024. Exclusions due to invalid data included:

- Twelve hospital-quarters with 90% or more departure times equal to zero
- Twenty-four hospital-quarters with 100% of visits with arrival time exactly equal to departure time

### **Excess Length of Stay**

Excess length of stay (ELOS) is a measure designed in consultation with clinicians to capture prolonged stays in the ED and is defined as any visit that had a length of stay exceeding four, six, and twelve hours for non-behavioral health diagnosis and length of stay exceeding twelve, and twenty-four hours for behavioral health diagnosis from the time of registration. Excess LOS was calculated by subtracting 4, 6, 12, or 24 from the calculated LOS; visits with a remaining LOS greater than 0 were considered to have ELOS. Visits with missing LOS were also missing ELOS.

### **Data Categorizations and Groupings**

#### **Sex**

The number of visits with missing or unknown sex in was 150 in FFY 2019, 102 in FFY 2020, 178 in FFY 2021, 292 in FFY 2022, 701 in FFY 2023, 535 in FFY 2024, and 12,327 FFY 2025. Due to changes in the Case Mix data submission guidelines for FFY 2025, there was a higher number of missing or unknown sex reported by several hospitals; however, this may change as data transitions from preliminary to final.

#### **Race/Ethnicity**

Patient race and ethnicity were classified using a hierarchal grouping based on information entered by the facility. First, any patients of Hispanic/Latino/Spanish culture or origin regardless of race were classified as Hispanic of Any Race. Next, patients with valid primary race variables who were not of multiple races were classified as non-Hispanic White, non-Hispanic Black, non-Hispanic Asian, non-Hispanic American Indian/Alaska Native, or non-Hispanic Native Hawaiian/Other Pacific Islander. Patients classified as Other Race or who had more than one race indicated were classified as non-Hispanic Other or Multiple Races. Due to small population sizes, non-Hispanic American Indian/Alaska Native and non-Hispanic Native Hawaiian/Other Pacific Islander are reported together with Other and Multiple Races in the Tableau workbook, but these groups are reported separately in the databook for all analyses except for those in the COVID-19 section. Visits that could not be classified into any of the above groups due to missing or invalid race/ethnicity information were reported as Missing.

#### **Payer Type**

Case Mix payer type categories were assigned to one of the following:

- Medicare: Fee-for-service Medicare or managed care Medicare
- Medicaid: MassHealth, including Medicaid managed care, or Commonwealth Care

- Commercial: Blue Cross and Blue Shield Managed Care, Commercial Insurance and Commercial Managed Care, HMO, PPO/Other managed care plans not elsewhere classified, point-of-service plans, exclusive provider organizations, or other non-managed care plans
- Other: Worker’s Compensation, Other Government Payment, Auto Insurance, or Dental Plans
- Self-Pay: Self-Pay, Free Care, or Health Safety Net

For preliminary data (FFY2024) only, payer type is the expected primary payer on the discharge as reported by the hospital. For final data through FFY2023, payer type data provided by the hospital was enhanced through linkage to enrollment data in the Massachusetts All-Payer Claims Database and the Research Data Assistance Center’s (ResDAC) Medicare fee-for-service beneficiary data. Payer type is considered enhanced in cases where patient information from the visit provided by the hospital linked to enrollment data available from other sources. If no linkage could be made, then payer information associated with the visit provided in Case Mix was used to assign payer type.

The number of visits with missing expected primary payer type was 237 in FFY 2019, 459 in FFY 2020, 888 in FFY 2021, 943 in FFY 2022, 1,047 in FFY 2023, 665 in FFY 2024, and 56 in FFY 2025.

### Clinical Classifications Software Refined (CCSR) for ICD-10-CM Diagnoses [2]

The CCSR for ICD-10-CM diagnoses was developed by the Agency for Healthcare Research and Quality (AHRQ) and aggregates over 70,000 ICD-10-CM diagnosis codes into over 530 clinically meaningful categories, organized across 21 body systems. For this analysis, visits were classified into mutually exclusive categories based on the default outpatient CCSR category for the listed principal ICD-10-CM diagnosis code. This update used CCSR v. 2023.1. In the section Diagnoses, estimates among the top 15 most common CCSR categories are presented.

### Behavioral Health

For this analysis, visits were categorized into clinical meaningful independent behavioral health categories based on the listed principal diagnosis code using the CCSR categories for ICD-10-CM diagnoses defined by AHRQ as related to mental and behavioral disorders [1]. A visit may be associated with more than one behavioral health category because ICD-10-CM diagnoses may be associated with more than one CCSR category. Behavioral health conditions are classified as mental health or substance use based on the conditions and CCSR categories below:

**Table 2. CCSR Categories Associated with Behavioral Health**

OVERALL CATEGORY	DIAGNOSIS CATEGORY	CCSR CATEGORIES	CCSR DESCRIPTION
Mental Health	Mood disorders	MBD002	Depressive disorders
		MBD003	Bipolar and related disorders
		MBD004	Other specified and unspecified mood disorders
	Anxiety disorders	MBD005	Anxiety and fear-related disorders
		MBD006	Obsessive-compulsive and related disorders

	Trauma disorders	<b>MBD007</b>	Trauma and stressor-related disorders
	Intentional self-harm, suicidal ideation, and suicide attempts	<b>MBD012</b>	Suicidal ideation, attempt, and intentional self-harm
		<b>MBD027</b>	Suicide attempt or intentional self-harm, subsequent encounter
	Schizophrenia and other psychotic disorders	<b>MBD001</b>	Schizophrenia and other psychotic disorders
	Personality disorders	<b>MBD009</b>	Personality disorders
	Impulse control disorders not elsewhere classified	<b>MBD008</b>	Disruptive, impulse-control and conduct disorders
	Miscellaneous mental health conditions	<b>MBD010</b>	Feeding and eating disorders
		<b>MBD011</b>	Somatic disorders
		<b>MBD013</b>	Miscellaneous mental and behavioral disorders and conditions
<b>Substance Use</b>	Alcohol-related disorders	<b>MBD017</b>	Alcohol-related disorders
	Cannabis-related disorders	<b>MBD019</b>	Cannabis-related disorders
		<b>MBD030</b>	Cannabis-related disorders, subsequent encounter
	Opioids-related disorders	<b>MBD018</b>	Opioid-related disorders
		<b>MBD028</b>	Opioid-related disorders, subsequent encounter
	Cocaine-related disorders	<b>MBD021*</b>	Stimulant-related disorders
		<b>MBD029*</b>	Stimulant-related disorders, subsequent encounter
		*Only including those related to cocaine	
	Sedatives-related disorders	<b>MDB020</b>	Sedative-related disorders
		<b>MBD032</b>	Sedative-related disorders, subsequent encounter
	Other Stimulant-related disorders	<b>MBD021*</b>	Stimulant-related disorders
		<b>MBD029*</b>	Stimulant-related disorders, subsequent encounter
		*Except those related to cocaine	
	Hallucinogens-related disorders	<b>MBD022</b>	Hallucinogen-related disorders
		<b>MBD031</b>	Hallucinogen-related disorders; subsequent encounter
	Miscellaneous substance-related disorders	<b>MBD023</b>	Inhalant-related disorders
		<b>MBD025</b>	Other specified substance-related disorders
<b>MBD033</b>		Inhalant-related disorders, subsequent encounter	

Additionally, ICD-10-CM diagnoses in CCSR categories MBD026 (Mental and substance use disorders in remission) and MBD034 (Mental and substance use disorders; sequela) were manually associated with the diagnosis categories listed above. See Appendix A for a complete list of behavioral health ICD-10-CM codes and their classifications. Based on the behavioral health diagnosis categories, visits were aggregated into larger categories representing whether the principal diagnosis was associated with any behavioral health condition (that is, either a mental health condition or substance use disorder), and for behavioral health diagnoses, whether the visit was associated with a mental health condition or a substance use disorder. Principal diagnoses were classified as either mental health or substance use disorders; as such, the categories for Any Mental Health Condition and Any Substance Use Disorder are mutually exclusive.

For this analysis, behavioral health categories were also analyzed by age group, and only visits among patients aged 2 years and older were included. Some mental health and substance use categories had fewer than 11 discharges for some quarters. These were suppressed for privacy reasons. They include:

- Pediatric (Age 2-17)
  - Mental health conditions – Personality disorders (All quarters)
  - Substance Use Disorders – Opioids, Cocaine, Sedatives, and Stimulants (All quarters)

## COVID-19

A visit was classified as being associated with COVID-19 if it had a principal ICD-10-CM diagnosis indicating confirmed or suspected COVID-19 and a date of arrival on or after April 1, 2020. Starting with visits dated on or after January 1, 2021, additional ICD-10-CM codes were added related to COVID-19, including J12.82 (Pneumonia due to coronavirus disease 2019). Starting October 1, 2022, the ICD-10-CM code U09.9 for Post-COVID condition, often referred to as “Long COVID,” was added as a code for clinical use.

ICD-10 CODE	DESCRIPTION
<b>U07.1</b>	COVID-19, virus identified (laboratory confirmed)
<b>U07.2</b>	COVID-19, virus not identified (clinically diagnosed)
<b>J12.82</b>	Pneumonia due to coronavirus disease 2019
<b>U09.9</b>	Post-COVID condition

For the section focused on COVID-19, the proportions of visits associated with and without COVID-19 are presented by expected primary payer type, age group, sex, and race and ethnicity.

## Utilization by ZIP Code

The utilization map shows hospital inpatient discharges by ZIP code for FFY 2021-FFY 2024. The total number of discharges and rates per 100 residents are displayed using deciles, showing the distribution of discharges in ten bins. Total discharges were determined using patient ZIP code. The population per ZIP code was determined using 2021 5-year American Community Survey (ACS) estimates.[4] The rate per 100 residents was calculated using the total discharges divided by the population of the ZIP code. The map legend shows the range within each decile bin

---

(i.e., the minimum and maximum for each bin). Any ZIP code with fewer than 11 discharges and/or residents was excluded from the map.

### **Total Acute Care Hospital Volume**

The total volume section shows the total volume of Massachusetts acute care hospitals by case mix categorization. CHIA's case mix databases capture all acute care hospital visits and discharges in the state. Discharges/visits are categorized by inpatient stay, outpatient observation, and emergency department (ED) treat and release. If any visit results in a treat-and-release emergency department visit, then it is grouped into the Emergency Discharge Database (EDD).

### **Notes**

[1] Clinical Classifications Software Refined (CCSR) for ICD-10-CM. October 2022. Healthcare Cost and Utilization Project (HCUP). Agency for Healthcare Research and Quality, Rockville, MD. Available from <https://www.hcup-us.ahrq.gov/toolsoftware/ccsr/dxccsr.jsp>

[2] American Community Survey (ACS) -- 2021: ACS 5-Year Estimates Detailed Tables. December 2022. United States Census Bureau, Suitland, MD. Available from [https://data.census.gov/table?q=massachusetts+population&g=040XX00US25\\$8600000&tid=ACSDT5Y2021.B01003](https://data.census.gov/table?q=massachusetts+population&g=040XX00US25$8600000&tid=ACSDT5Y2021.B01003).

## Appendix A. CCSR Category MBD026 and MBD034 Behavioral Health Classification

CCSR CATEGORY	ICD-10 CODE	ICD-10 CODE DESCRIPTION	OVERALL BH CATEGORY	BH DIAGNOSIS CATEGORY
MBD026	F1011	Alcohol abuse, in remission	Substance Use	Alcohol
MBD026	F1021	Alcohol dependence, in remission	Substance Use	Alcohol
MBD026	F1111	Opioid abuse, in remission	Substance Use	Opioids
MBD026	F1121	Opioid dependence, in remission	Substance Use	Opioids
MBD026	F1211	Cannabis abuse, in remission	Substance Use	Cannabis
MBD026	F1221	Cannabis dependence, in remission	Substance Use	Cannabis
MBD026	F1311	Sedative, hypnotic or anxiolytic abuse, in remission	Substance Use	Sedatives
MBD026	F1321	Sedative, hypnotic or anxiolytic dependence, in remission	Substance Use	Sedatives
MBD026	F1411	Cocaine abuse, in remission	Substance Use	Cocaine
MBD026	F1421	Cocaine dependence, in remission	Substance Use	Cocaine
MBD026	F1511	Other stimulant abuse, in remission	Substance Use	Stimulants
MBD026	F1521	Other stimulant dependence, in remission	Substance Use	Stimulants
MBD026	F1611	Hallucinogen abuse, in remission	Substance Use	Hallucinogens
MBD026	F1621	Hallucinogen dependence, in remission	Substance Use	Hallucinogens
MBD026	F1811	Inhalant abuse, in remission	Substance Use	Other Substance Use
MBD026	F1821	Inhalant dependence, in remission	Substance Use	Other Substance Use
MBD026	F1911	Other psychoactive substance abuse, in remission	Substance Use	Other Substance Use
MBD026	F1921	Other psychoactive substance dependence, in remission	Substance Use	Other Substance Use
MBD026	F304	Manic episode in full remission	Mental Health	Mood
MBD026	F3170	Bipolar disorder, currently in remission, most recent episode unspecified	Mental Health	Mood
MBD026	F3172	Bipolar disorder, in full remission, most recent episode hypomanic	Mental Health	Mood
MBD026	F3174	Bipolar disorder, in full remission, most recent episode manic	Mental Health	Mood
MBD026	F3176	Bipolar disorder, in full remission, most recent episode depressed	Mental Health	Mood

<b>MBD026</b>	F3178	Bipolar disorder, in full remission, most recent episode mixed	Mental Health	Mood
<b>MBD026</b>	F325	Major depressive disorder, single episode, in full remission	Mental Health	Mood
<b>MBD026</b>	F3340	Major depressive disorder, recurrent, in remission, unspecified	Mental Health	Mood
<b>MBD026</b>	F3342	Major depressive disorder, recurrent, in full remission	Mental Health	Mood
<b>MBD034</b>	T1491XS	Suicide attempt, sequela	Mental Health	Self-Harm/Suicidal Ideation
<b>MBD034</b>	T360X2S	Poisoning by penicillins, intentional self-harm, sequela	Mental Health	Self-Harm/Suicidal Ideation
<b>MBD034</b>	T361X2S	Poisoning by cephalosporins and other beta-lactam antibiotics, intentional self-harm, sequela	Mental Health	Self-Harm/Suicidal Ideation
<b>MBD034</b>	T362X2S	Poisoning by chloramphenicol group, intentional self-harm, sequela	Mental Health	Self-Harm/Suicidal Ideation
<b>MBD034</b>	T363X2S	Poisoning by macrolides, intentional self-harm, sequela	Mental Health	Self-Harm/Suicidal Ideation
<b>MBD034</b>	T364X2S	Poisoning by tetracyclines, intentional self-harm, sequela	Mental Health	Self-Harm/Suicidal Ideation
<b>MBD034</b>	T365X2S	Poisoning by aminoglycosides, intentional self-harm, sequela	Mental Health	Self-Harm/Suicidal Ideation
<b>MBD034</b>	T366X2S	Poisoning by rifampicins, intentional self-harm, sequela	Mental Health	Self-Harm/Suicidal Ideation
<b>MBD034</b>	T367X2S	Poisoning by antifungal antibiotics, systemically used, intentional self-harm, sequela	Mental Health	Self-Harm/Suicidal Ideation
<b>MBD034</b>	T368X2S	Poisoning by other systemic antibiotics, intentional self-harm, sequela	Mental Health	Self-Harm/Suicidal Ideation
<b>MBD034</b>	T3692XS	Poisoning by unspecified systemic antibiotic, intentional self-harm, sequela	Mental Health	Self-Harm/Suicidal Ideation
<b>MBD034</b>	T370X2S	Poisoning by sulfonamides, intentional self-harm, sequela	Mental Health	Self-Harm/Suicidal Ideation
<b>MBD034</b>	T371X2S	Poisoning by antimycobacterial drugs, intentional self-harm, sequela	Mental Health	Self-Harm/Suicidal Ideation
<b>MBD034</b>	T372X2S	Poisoning by antimalarials and drugs acting on other blood protozoa, intentional self-harm, sequela	Mental Health	Self-Harm/Suicidal Ideation
<b>MBD034</b>	T373X2S	Poisoning by other antiprotozoal drugs, intentional self-harm, sequela	Mental Health	Self-Harm/Suicidal Ideation
<b>MBD034</b>	T374X2S	Poisoning by anthelmintics, intentional self-harm, sequela	Mental Health	Self-Harm/Suicidal Ideation
<b>MBD034</b>	T375X2S	Poisoning by antiviral drugs, intentional self-harm, sequela	Mental Health	Self-Harm/Suicidal Ideation
<b>MBD034</b>	T378X2S	Poisoning by other specified systemic anti-infectives and antiparasitics, intentional self-harm, sequela	Mental Health	Self-Harm/Suicidal Ideation

<b>MBD034</b>	T3792XS	Poisoning by unspecified systemic anti-infective and antiparasitics, intentional self-harm, sequela	Mental Health	Self-Harm/Suicidal Ideation
<b>MBD034</b>	T380X2S	Poisoning by glucocorticoids and synthetic analogues, intentional self-harm, sequela	Mental Health	Self-Harm/Suicidal Ideation
<b>MBD034</b>	T381X2S	Poisoning by thyroid hormones and substitutes, intentional self-harm, sequela	Mental Health	Self-Harm/Suicidal Ideation
<b>MBD034</b>	T382X2S	Poisoning by antithyroid drugs, intentional self-harm, sequela	Mental Health	Self-Harm/Suicidal Ideation
<b>MBD034</b>	T383X2S	Poisoning by insulin and oral hypoglycemic [antidiabetic] drugs, intentional self-harm, sequela	Mental Health	Self-Harm/Suicidal Ideation
<b>MBD034</b>	T384X2S	Poisoning by oral contraceptives, intentional self-harm, sequela	Mental Health	Self-Harm/Suicidal Ideation
<b>MBD034</b>	T385X2S	Poisoning by other estrogens and progestogens, intentional self-harm, sequela	Mental Health	Self-Harm/Suicidal Ideation
<b>MBD034</b>	T386X2S	Poisoning by antigonadotrophins, antiestrogens, antiandrogens, not elsewhere classified, intentional self-harm, sequela	Mental Health	Self-Harm/Suicidal Ideation
<b>MBD034</b>	T387X2S	Poisoning by androgens and anabolic congeners, intentional self-harm, sequela	Mental Health	Self-Harm/Suicidal Ideation
<b>MBD034</b>	T38802S	Poisoning by unspecified hormones and synthetic substitutes, intentional self-harm, sequela	Mental Health	Self-Harm/Suicidal Ideation
<b>MBD034</b>	T38812S	Poisoning by anterior pituitary [adenohypophyseal] hormones, intentional self-harm, sequela	Mental Health	Self-Harm/Suicidal Ideation
<b>MBD034</b>	T38892S	Poisoning by other hormones and synthetic substitutes, intentional self-harm, sequela	Mental Health	Self-Harm/Suicidal Ideation
<b>MBD034</b>	T38902S	Poisoning by unspecified hormone antagonists, intentional self-harm, sequela	Mental Health	Self-Harm/Suicidal Ideation
<b>MBD034</b>	T38992S	Poisoning by other hormone antagonists, intentional self-harm, sequela	Mental Health	Self-Harm/Suicidal Ideation
<b>MBD034</b>	T39012S	Poisoning by aspirin, intentional self-harm, sequela	Mental Health	Self-Harm/Suicidal Ideation
<b>MBD034</b>	T39092S	Poisoning by salicylates, intentional self-harm, sequela	Mental Health	Self-Harm/Suicidal Ideation
<b>MBD034</b>	T391X2S	Poisoning by 4-Aminophenol derivatives, intentional self-harm, sequela	Mental Health	Self-Harm/Suicidal Ideation
<b>MBD034</b>	T392X2S	Poisoning by pyrazolone derivatives, intentional self-harm, sequela	Mental Health	Self-Harm/Suicidal Ideation
<b>MBD034</b>	T39312S	Poisoning by propionic acid derivatives, intentional self-harm, sequela	Mental Health	Self-Harm/Suicidal Ideation
<b>MBD034</b>	T39392S	Poisoning by other nonsteroidal anti-inflammatory drugs [NSAID], intentional self-harm, sequela	Mental Health	Self-Harm/Suicidal Ideation

<b>MBD034</b>	T394X2S	Poisoning by antirheumatics, not elsewhere classified, intentional self-harm, sequela	Mental Health	Self-Harm/Suicidal Ideation
<b>MBD034</b>	T398X2S	Poisoning by other nonopioid analgesics and antipyretics, not elsewhere classified, intentional self-harm, sequela	Mental Health	Self-Harm/Suicidal Ideation
<b>MBD034</b>	T3992XS	Poisoning by unspecified nonopioid analgesic, antipyretic and antirheumatic, intentional self-harm, sequela	Mental Health	Self-Harm/Suicidal Ideation
<b>MBD034</b>	T400X1S	Poisoning by opium, accidental (unintentional), sequela	Substance Use	Opioids
<b>MBD034</b>	T400X2S	Poisoning by opium, intentional self-harm, sequela	Mental Health	Self-Harm/Suicidal Ideation
<b>MBD034</b>	T400X3S	Poisoning by opium, assault, sequela	Substance Use	Opioids
<b>MBD034</b>	T400X4S	Poisoning by opium, undetermined, sequela	Substance Use	Opioids
<b>MBD034</b>	T400X5S	Adverse effect of opium, sequela	Substance Use	Opioids
<b>MBD034</b>	T401X1S	Poisoning by heroin, accidental (unintentional), sequela	Substance Use	Opioids
<b>MBD034</b>	T401X2S	Poisoning by heroin, intentional self-harm, sequela	Mental Health	Self-Harm/Suicidal Ideation
<b>MBD034</b>	T401X3S	Poisoning by heroin, assault, sequela	Substance Use	Opioids
<b>MBD034</b>	T401X4S	Poisoning by heroin, undetermined, sequela	Substance Use	Opioids
<b>MBD034</b>	T402X1S	Poisoning by other opioids, accidental (unintentional), sequela	Substance Use	Opioids
<b>MBD034</b>	T402X2S	Poisoning by other opioids, intentional self-harm, sequela	Mental Health	Self-Harm/Suicidal Ideation
<b>MBD034</b>	T402X3S	Poisoning by other opioids, assault, sequela	Substance Use	Opioids
<b>MBD034</b>	T402X4S	Poisoning by other opioids, undetermined, sequela	Substance Use	Opioids
<b>MBD034</b>	T402X5S	Adverse effect of other opioids, sequela	Substance Use	Opioids
<b>MBD034</b>	T403X1S	Poisoning by methadone, accidental (unintentional), sequela	Substance Use	Opioids
<b>MBD034</b>	T403X2S	Poisoning by methadone, intentional self-harm, sequela	Mental Health	Self-Harm/Suicidal Ideation
<b>MBD034</b>	T403X3S	Poisoning by methadone, assault, sequela	Substance Use	Opioids
<b>MBD034</b>	T403X4S	Poisoning by methadone, undetermined, sequela	Substance Use	Opioids
<b>MBD034</b>	T403X5S	Adverse effect of methadone, sequela	Substance Use	Opioids
<b>MBD034</b>	T40411S	Poisoning by fentanyl or fentanyl analogs, accidental (unintentional), sequela	Substance Use	Opioids
<b>MBD034</b>	T40412S	Poisoning by fentanyl or fentanyl analogs, intentional self-harm, sequela	Mental Health	Self-Harm/Suicidal Ideation

<b>MBD034</b>	T40413S	Poisoning by fentanyl or fentanyl analogs, assault, sequela	Substance Use	Opioids
<b>MBD034</b>	T40414S	Poisoning by fentanyl or fentanyl analogs, undetermined, sequela	Substance Use	Opioids
<b>MBD034</b>	T40415S	Adverse effect of fentanyl or fentanyl analogs, sequela	Substance Use	Opioids
<b>MBD034</b>	T40421S	Poisoning by tramadol, accidental (unintentional), sequela	Substance Use	Opioids
<b>MBD034</b>	T40422S	Poisoning by tramadol, intentional self-harm, sequela	Mental Health	Self-Harm/Suicidal Ideation
<b>MBD034</b>	T40423S	Poisoning by tramadol, assault, sequela	Substance Use	Opioids
<b>MBD034</b>	T40424S	Poisoning by tramadol, undetermined, sequela	Substance Use	Opioids
<b>MBD034</b>	T40425S	Adverse effect of tramadol, sequela	Substance Use	Opioids
<b>MBD034</b>	T40491S	Poisoning by other synthetic narcotics, accidental (unintentional), sequela	Substance Use	Opioids
<b>MBD034</b>	T40492S	Poisoning by other synthetic narcotics, intentional self-harm, sequela	Mental Health	Self-Harm/Suicidal Ideation
<b>MBD034</b>	T40493S	Poisoning by other synthetic narcotics, assault, sequela	Substance Use	Opioids
<b>MBD034</b>	T40494S	Poisoning by other synthetic narcotics, undetermined, sequela	Substance Use	Opioids
<b>MBD034</b>	T40495S	Adverse effect of other synthetic narcotics, sequela	Substance Use	Opioids
<b>MBD034</b>	T404X1S	Poisoning by other synthetic narcotics, accidental (unintentional), sequela	Substance Use	Opioids
<b>MBD034</b>	T404X2S	Poisoning by other synthetic narcotics, intentional self-harm, sequela	Mental Health	Self-Harm/Suicidal Ideation
<b>MBD034</b>	T404X3S	Poisoning by other synthetic narcotics, assault, sequela	Substance Use	Opioids
<b>MBD034</b>	T404X4S	Poisoning by other synthetic narcotics, undetermined, sequela	Substance Use	Opioids
<b>MBD034</b>	T404X5S	Adverse effect of other synthetic narcotics, sequela	Substance Use	Opioids
<b>MBD034</b>	T405X1S	Poisoning by cocaine, accidental (unintentional), sequela	Substance Use	Cocaine
<b>MBD034</b>	T405X2S	Poisoning by cocaine, intentional self-harm, sequela	Mental Health	Self-Harm/Suicidal Ideation
<b>MBD034</b>	T405X3S	Poisoning by cocaine, assault, sequela	Substance Use	Cocaine
<b>MBD034</b>	T405X4S	Poisoning by cocaine, undetermined, sequela	Substance Use	Cocaine
<b>MBD034</b>	T405X5S	Adverse effect of cocaine, sequela	Substance Use	Cocaine
<b>MBD034</b>	T40601S	Poisoning by unspecified narcotics, accidental (unintentional), sequela	Substance Use	Opioids

<b>MBD034</b>	T40602S	Poisoning by unspecified narcotics, intentional self-harm, sequela	Mental Health	Self-Harm/Suicidal Ideation
<b>MBD034</b>	T40603S	Poisoning by unspecified narcotics, assault, sequela	Substance Use	Opioids
<b>MBD034</b>	T40604S	Poisoning by unspecified narcotics, undetermined, sequela	Substance Use	Opioids
<b>MBD034</b>	T40605S	Adverse effect of unspecified narcotics, sequela	Substance Use	Opioids
<b>MBD034</b>	T40691S	Poisoning by other narcotics, accidental (unintentional), sequela	Substance Use	Opioids
<b>MBD034</b>	T40692S	Poisoning by other narcotics, intentional self-harm, sequela	Mental Health	Self-Harm/Suicidal Ideation
<b>MBD034</b>	T40693S	Poisoning by other narcotics, assault, sequela	Substance Use	Opioids
<b>MBD034</b>	T40694S	Poisoning by other narcotics, undetermined, sequela	Substance Use	Opioids
<b>MBD034</b>	T40695S	Adverse effect of other narcotics, sequela	Substance Use	Opioids
<b>MBD034</b>	T407X1S	Poisoning by cannabis (derivatives), accidental (unintentional), sequela	Substance Use	Cannabis
<b>MBD034</b>	T407X2S	Poisoning by cannabis (derivatives), intentional self-harm, sequela	Mental Health	Self-Harm/Suicidal Ideation
<b>MBD034</b>	T407X3S	Poisoning by cannabis (derivatives), assault, sequela	Substance Use	Cannabis
<b>MBD034</b>	T407X4S	Poisoning by cannabis (derivatives), undetermined, sequela	Substance Use	Cannabis
<b>MBD034</b>	T407X5S	Adverse effect of cannabis (derivatives), sequela	Substance Use	Cannabis
<b>MBD034</b>	T40711S	Poisoning by cannabis, accidental (unintentional), sequela	Substance Use	Cannabis
<b>MBD034</b>	T40712S	Poisoning by cannabis, intentional self-harm, sequela	Substance Use	Cannabis
<b>MBD034</b>	T40712S	Poisoning by cannabis, intentional self-harm, sequela	Mental Health	Self-Harm/Suicidal Ideation
<b>MBD034</b>	T40713S	Poisoning by cannabis, assault, sequela	Substance Use	Cannabis
<b>MBD034</b>	T40714S	Poisoning by cannabis, undetermined, sequela	Substance Use	Cannabis
<b>MBD034</b>	T40721S	Poisoning by synthetic cannabinoids, accidental (unintentional), sequela	Substance Use	Cannabis
<b>MBD034</b>	T40722S	Poisoning by synthetic cannabinoids, intentional self-harm, sequela	Mental Health	Self-Harm/Suicidal Ideation
<b>MBD034</b>	T40722S	Poisoning by synthetic cannabinoids, intentional self-harm, sequela	Substance Use	Cannabis
<b>MBD034</b>	T40723S	Poisoning by synthetic cannabinoids, assault, sequela	Substance Use	Cannabis

<b>MBD034</b>	T40724S	Poisoning by synthetic cannabinoids, undetermined, sequela	Substance Use	Cannabis
<b>MBD034</b>	T408X1S	Poisoning by lysergide [LSD], accidental (unintentional), sequela	Substance Use	Hallucinogens
<b>MBD034</b>	T408X2S	Poisoning by lysergide [LSD], intentional self-harm, sequela	Mental Health	Self-Harm/Suicidal Ideation
<b>MBD034</b>	T408X3S	Poisoning by lysergide [LSD], assault, sequela	Substance Use	Hallucinogens
<b>MBD034</b>	T408X4S	Poisoning by lysergide [LSD], undetermined, sequela	Substance Use	Hallucinogens
<b>MBD034</b>	T40901S	Poisoning by unspecified psychodysleptics [hallucinogens], accidental (unintentional), sequela	Substance Use	Hallucinogens
<b>MBD034</b>	T40902S	Poisoning by unspecified psychodysleptics [hallucinogens], intentional self-harm, sequela	Mental Health	Self-Harm/Suicidal Ideation
<b>MBD034</b>	T40903S	Poisoning by unspecified psychodysleptics [hallucinogens], assault, sequela	Substance Use	Hallucinogens
<b>MBD034</b>	T40904S	Poisoning by unspecified psychodysleptics [hallucinogens], undetermined, sequela	Substance Use	Hallucinogens
<b>MBD034</b>	T40905S	Adverse effect of unspecified psychodysleptics [hallucinogens], sequela	Substance Use	Hallucinogens
<b>MBD034</b>	T40991S	Poisoning by other psychodysleptics [hallucinogens], accidental (unintentional), sequela	Substance Use	Hallucinogens
<b>MBD034</b>	T40992S	Poisoning by other psychodysleptics [hallucinogens], intentional self-harm, sequela	Mental Health	Self-Harm/Suicidal Ideation
<b>MBD034</b>	T40993S	Poisoning by other psychodysleptics [hallucinogens], assault, sequela	Substance Use	Hallucinogens
<b>MBD034</b>	T40994S	Poisoning by other psychodysleptics [hallucinogens], undetermined, sequela	Substance Use	Hallucinogens
<b>MBD034</b>	T40995S	Adverse effect of other psychodysleptics [hallucinogens], sequela	Substance Use	Hallucinogens
<b>MBD034</b>	T410X1S	Poisoning by inhaled anesthetics, accidental (unintentional), sequela	Substance Use	Other Substance Use
<b>MBD034</b>	T410X2S	Poisoning by inhaled anesthetics, intentional self-harm, sequela	Mental Health	Self-Harm/Suicidal Ideation
<b>MBD034</b>	T410X3S	Poisoning by inhaled anesthetics, assault, sequela	Substance Use	Other Substance Use
<b>MBD034</b>	T410X4S	Poisoning by inhaled anesthetics, undetermined, sequela	Substance Use	Other Substance Use
<b>MBD034</b>	T410X5S	Adverse effect of inhaled anesthetics, sequela	Substance Use	Other Substance Use
<b>MBD034</b>	T411X2S	Poisoning by intravenous anesthetics, intentional self-harm, sequela	Mental Health	Self-Harm/Suicidal Ideation
<b>MBD034</b>	T41202S	Poisoning by unspecified general anesthetics, intentional self-harm, sequela	Mental Health	Self-Harm/Suicidal Ideation

<b>MBD034</b>	T41292S	Poisoning by other general anesthetics, intentional self-harm, sequela	Mental Health	Self-Harm/Suicidal Ideation
<b>MBD034</b>	T413X2S	Poisoning by local anesthetics, intentional self-harm, sequela	Mental Health	Self-Harm/Suicidal Ideation
<b>MBD034</b>	T4142XS	Poisoning by unspecified anesthetic, intentional self-harm, sequela	Mental Health	Self-Harm/Suicidal Ideation
<b>MBD034</b>	T415X2S	Poisoning by therapeutic gases, intentional self-harm, sequela	Mental Health	Self-Harm/Suicidal Ideation
<b>MBD034</b>	T420X2S	Poisoning by hydantoin derivatives, intentional self-harm, sequela	Mental Health	Self-Harm/Suicidal Ideation
<b>MBD034</b>	T422X2S	Poisoning by succinimides and oxazolidinediones, intentional self-harm, sequela	Mental Health	Self-Harm/Suicidal Ideation
<b>MBD034</b>	T423X2S	Poisoning by barbiturates, intentional self-harm, sequela	Mental Health	Self-Harm/Suicidal Ideation
<b>MBD034</b>	T424X2S	Poisoning by benzodiazepines, intentional self-harm, sequela	Mental Health	Self-Harm/Suicidal Ideation
<b>MBD034</b>	T425X2S	Poisoning by mixed antiepileptics, intentional self-harm, sequela	Mental Health	Self-Harm/Suicidal Ideation
<b>MBD034</b>	T426X1S	Poisoning by other antiepileptic and sedative-hypnotic drugs, accidental (unintentional), sequela	Substance Use	Sedatives
<b>MBD034</b>	T426X2S	Poisoning by other antiepileptic and sedative-hypnotic drugs, intentional self-harm, sequela	Mental Health	Self-Harm/Suicidal Ideation
<b>MBD034</b>	T426X3S	Poisoning by other antiepileptic and sedative-hypnotic drugs, assault, sequela	Substance Use	Sedatives
<b>MBD034</b>	T426X4S	Poisoning by other antiepileptic and sedative-hypnotic drugs, undetermined, sequela	Substance Use	Sedatives
<b>MBD034</b>	T426X5S	Adverse effect of other antiepileptic and sedative-hypnotic drugs, sequela	Substance Use	Sedatives
<b>MBD034</b>	T4271XS	Poisoning by unspecified antiepileptic and sedative-hypnotic drugs, accidental (unintentional), sequela	Substance Use	Sedatives
<b>MBD034</b>	T4272XS	Poisoning by unspecified antiepileptic and sedative-hypnotic drugs, intentional self-harm, sequela	Mental Health	Self-Harm/Suicidal Ideation
<b>MBD034</b>	T4273XS	Poisoning by unspecified antiepileptic and sedative-hypnotic drugs, assault, sequela	Substance Use	Sedatives
<b>MBD034</b>	T4274XS	Poisoning by unspecified antiepileptic and sedative-hypnotic drugs, undetermined, sequela	Substance Use	Sedatives
<b>MBD034</b>	T4275XS	Adverse effect of unspecified antiepileptic and sedative-hypnotic drugs, sequela	Substance Use	Sedatives
<b>MBD034</b>	T428X2S	Poisoning by antiparkinsonism drugs and other central muscle-tone depressants, intentional self-harm, sequela	Mental Health	Self-Harm/Suicidal Ideation

<b>MBD034</b>	T43012S	Poisoning by tricyclic antidepressants, intentional self-harm, sequela	Mental Health	Self-Harm/Suicidal Ideation
<b>MBD034</b>	T43022S	Poisoning by tetracyclic antidepressants, intentional self-harm, sequela	Mental Health	Self-Harm/Suicidal Ideation
<b>MBD034</b>	T431X2S	Poisoning by monoamine-oxidase-inhibitor antidepressants, intentional self-harm, sequela	Mental Health	Self-Harm/Suicidal Ideation
<b>MBD034</b>	T43202S	Poisoning by unspecified antidepressants, intentional self-harm, sequela	Mental Health	Self-Harm/Suicidal Ideation
<b>MBD034</b>	T43205S	Adverse effect of unspecified antidepressants, sequela	Substance Use	Other Substance Use
<b>MBD034</b>	T43212S	Poisoning by selective serotonin and norepinephrine reuptake inhibitors, intentional self-harm, sequela	Mental Health	Self-Harm/Suicidal Ideation
<b>MBD034</b>	T43222S	Poisoning by selective serotonin reuptake inhibitors, intentional self-harm, sequela	Mental Health	Self-Harm/Suicidal Ideation
<b>MBD034</b>	T43292S	Poisoning by other antidepressants, intentional self-harm, sequela	Mental Health	Self-Harm/Suicidal Ideation
<b>MBD034</b>	T433X2S	Poisoning by phenothiazine antipsychotics and neuroleptics, intentional self-harm, sequela	Mental Health	Self-Harm/Suicidal Ideation
<b>MBD034</b>	T434X2S	Poisoning by butyrophenone and thiothixene neuroleptics, intentional self-harm, sequela	Mental Health	Self-Harm/Suicidal Ideation
<b>MBD034</b>	T43502S	Poisoning by unspecified antipsychotics and neuroleptics, intentional self-harm, sequela	Mental Health	Self-Harm/Suicidal Ideation
<b>MBD034</b>	T43592S	Poisoning by other antipsychotics and neuroleptics, intentional self-harm, sequela	Mental Health	Self-Harm/Suicidal Ideation
<b>MBD034</b>	T43601S	Poisoning by unspecified psychostimulants, accidental (unintentional), sequela	Substance Use	Stimulants
<b>MBD034</b>	T43602S	Poisoning by unspecified psychostimulants, intentional self-harm, sequela	Mental Health	Self-Harm/Suicidal Ideation
<b>MBD034</b>	T43603S	Poisoning by unspecified psychostimulants, assault, sequela	Substance Use	Stimulants
<b>MBD034</b>	T43604S	Poisoning by unspecified psychostimulants, undetermined, sequela	Substance Use	Stimulants
<b>MBD034</b>	T43605S	Adverse effect of unspecified psychostimulants, sequela	Substance Use	Stimulants
<b>MBD034</b>	T43611S	Poisoning by caffeine, accidental (unintentional), sequela	Substance Use	Stimulants
<b>MBD034</b>	T43612S	Poisoning by caffeine, intentional self-harm, sequela	Mental Health	Self-Harm/Suicidal Ideation
<b>MBD034</b>	T43613S	Poisoning by caffeine, assault, sequela	Substance Use	Stimulants
<b>MBD034</b>	T43614S	Poisoning by caffeine, undetermined, sequela	Substance Use	Stimulants
<b>MBD034</b>	T43615S	Adverse effect of caffeine, sequela	Substance Use	Stimulants

<b>MBD034</b>	T43621S	Poisoning by amphetamines, accidental (unintentional), sequela	Substance Use	Stimulants
<b>MBD034</b>	T43622S	Poisoning by amphetamines, intentional self-harm, sequela	Mental Health	Self-Harm/Suicidal Ideation
<b>MBD034</b>	T43623S	Poisoning by amphetamines, assault, sequela	Substance Use	Stimulants
<b>MBD034</b>	T43624S	Poisoning by amphetamines, undetermined, sequela	Substance Use	Stimulants
<b>MBD034</b>	T43625S	Adverse effect of amphetamines, sequela	Substance Use	Stimulants
<b>MBD034</b>	T43631S	Poisoning by methylphenidate, accidental (unintentional), sequela	Substance Use	Stimulants
<b>MBD034</b>	T43632S	Poisoning by methylphenidate, intentional self-harm, sequela	Mental Health	Self-Harm/Suicidal Ideation
<b>MBD034</b>	T43633S	Poisoning by methylphenidate, assault, sequela	Substance Use	Stimulants
<b>MBD034</b>	T43634S	Poisoning by methylphenidate, undetermined, sequela	Substance Use	Stimulants
<b>MBD034</b>	T43635S	Adverse effect of methylphenidate, sequela	Substance Use	Stimulants
<b>MBD034</b>	T43641S	Poisoning by ecstasy, accidental (unintentional), sequela	Substance Use	Stimulants
<b>MBD034</b>	T43642S	Poisoning by ecstasy, intentional self-harm, sequela	Mental Health	Self-Harm/Suicidal Ideation
<b>MBD034</b>	T43643S	Poisoning by ecstasy, assault, sequela	Substance Use	Stimulants
<b>MBD034</b>	T43644S	Poisoning by ecstasy, undetermined, sequela	Substance Use	Stimulants
<b>MBD034</b>	T43691S	Poisoning by other psychostimulants, accidental (unintentional), sequela	Substance Use	Stimulants
<b>MBD034</b>	T43692S	Poisoning by other psychostimulants, intentional self-harm, sequela	Mental Health	Self-Harm/Suicidal Ideation
<b>MBD034</b>	T43693S	Poisoning by other psychostimulants, assault, sequela	Substance Use	Stimulants
<b>MBD034</b>	T43694S	Poisoning by other psychostimulants, undetermined, sequela	Substance Use	Stimulants
<b>MBD034</b>	T43695S	Adverse effect of other psychostimulants, sequela	Substance Use	Stimulants
<b>MBD034</b>	T438X2S	Poisoning by other psychotropic drugs, intentional self-harm, sequela	Mental Health	Self-Harm/Suicidal Ideation
<b>MBD034</b>	T4392XS	Poisoning by unspecified psychotropic drug, intentional self-harm, sequela	Mental Health	Self-Harm/Suicidal Ideation
<b>MBD034</b>	T440X2S	Poisoning by anticholinesterase agents, intentional self-harm, sequela	Mental Health	Self-Harm/Suicidal Ideation
<b>MBD034</b>	T441X2S	Poisoning by other parasympathomimetics [cholinergics], intentional self-harm, sequela	Mental Health	Self-Harm/Suicidal Ideation
<b>MBD034</b>	T442X2S	Poisoning by ganglionic blocking drugs, intentional self-harm, sequela	Mental Health	Self-Harm/Suicidal Ideation

<b>MBD034</b>	T443X2S	Poisoning by other parasympatholytics [anticholinergics and antimuscarinics] and spasmolytics, intentional self-harm, sequela	Mental Health	Self-Harm/Suicidal Ideation
<b>MBD034</b>	T444X2S	Poisoning by predominantly alpha-adrenoreceptor agonists, intentional self-harm, sequela	Mental Health	Self-Harm/Suicidal Ideation
<b>MBD034</b>	T445X2S	Poisoning by predominantly beta-adrenoreceptor agonists, intentional self-harm, sequela	Mental Health	Self-Harm/Suicidal Ideation
<b>MBD034</b>	T446X2S	Poisoning by alpha-adrenoreceptor antagonists, intentional self-harm, sequela	Mental Health	Self-Harm/Suicidal Ideation
<b>MBD034</b>	T447X2S	Poisoning by beta-adrenoreceptor antagonists, intentional self-harm, sequela	Mental Health	Self-Harm/Suicidal Ideation
<b>MBD034</b>	T448X2S	Poisoning by centrally-acting and adrenergic-neuron-blocking agents, intentional self-harm, sequela	Mental Health	Self-Harm/Suicidal Ideation
<b>MBD034</b>	T44902S	Poisoning by unspecified drugs primarily affecting the autonomic nervous system, intentional self-harm, sequela	Mental Health	Self-Harm/Suicidal Ideation
<b>MBD034</b>	T44992S	Poisoning by other drug primarily affecting the autonomic nervous system, intentional self-harm, sequela	Mental Health	Self-Harm/Suicidal Ideation
<b>MBD034</b>	T450X2S	Poisoning by antiallergic and antiemetic drugs, intentional self-harm, sequela	Mental Health	Self-Harm/Suicidal Ideation
<b>MBD034</b>	T451X2S	Poisoning by antineoplastic and immunosuppressive drugs, intentional self-harm, sequela	Mental Health	Self-Harm/Suicidal Ideation
<b>MBD034</b>	T452X2S	Poisoning by vitamins, intentional self-harm, sequela	Mental Health	Self-Harm/Suicidal Ideation
<b>MBD034</b>	T453X2S	Poisoning by enzymes, intentional self-harm, sequela	Mental Health	Self-Harm/Suicidal Ideation
<b>MBD034</b>	T454X2S	Poisoning by iron and its compounds, intentional self-harm, sequela	Mental Health	Self-Harm/Suicidal Ideation
<b>MBD034</b>	T45512S	Poisoning by anticoagulants, intentional self-harm, sequela	Mental Health	Self-Harm/Suicidal Ideation
<b>MBD034</b>	T45522S	Poisoning by antithrombotic drugs, intentional self-harm, sequela	Mental Health	Self-Harm/Suicidal Ideation
<b>MBD034</b>	T45602S	Poisoning by unspecified fibrinolysis-affecting drugs, intentional self-harm, sequela	Mental Health	Self-Harm/Suicidal Ideation
<b>MBD034</b>	T45612S	Poisoning by thrombolytic drug, intentional self-harm, sequela	Mental Health	Self-Harm/Suicidal Ideation
<b>MBD034</b>	T45622S	Poisoning by hemostatic drug, intentional self-harm, sequela	Mental Health	Self-Harm/Suicidal Ideation
<b>MBD034</b>	T45692S	Poisoning by other fibrinolysis-affecting drugs, intentional self-harm, sequela	Mental Health	Self-Harm/Suicidal Ideation
<b>MBD034</b>	T457X2S	Poisoning by anticoagulant antagonists, vitamin K and other coagulants, intentional self-harm, sequela	Mental Health	Self-Harm/Suicidal Ideation

<b>MBD034</b>	T458X2S	Poisoning by other primarily systemic and hematological agents, intentional self-harm, sequela	Mental Health	Self-Harm/Suicidal Ideation
<b>MBD034</b>	T4592XS	Poisoning by unspecified primarily systemic and hematological agent, intentional self-harm, sequela	Mental Health	Self-Harm/Suicidal Ideation
<b>MBD034</b>	T460X2S	Poisoning by cardiac-stimulant glycosides and drugs of similar action, intentional self-harm, sequela	Mental Health	Self-Harm/Suicidal Ideation
<b>MBD034</b>	T461X2S	Poisoning by calcium-channel blockers, intentional self-harm, sequela	Mental Health	Self-Harm/Suicidal Ideation
<b>MBD034</b>	T462X2S	Poisoning by other antidysrhythmic drugs, intentional self-harm, sequela	Mental Health	Self-Harm/Suicidal Ideation
<b>MBD034</b>	T463X2S	Poisoning by coronary vasodilators, intentional self-harm, sequela	Mental Health	Self-Harm/Suicidal Ideation
<b>MBD034</b>	T464X2S	Poisoning by angiotensin-converting-enzyme inhibitors, intentional self-harm, sequela	Mental Health	Self-Harm/Suicidal Ideation
<b>MBD034</b>	T465X2S	Poisoning by other antihypertensive drugs, intentional self-harm, sequela	Mental Health	Self-Harm/Suicidal Ideation
<b>MBD034</b>	T466X2S	Poisoning by antihyperlipidemic and antiarteriosclerotic drugs, intentional self-harm, sequela	Mental Health	Self-Harm/Suicidal Ideation
<b>MBD034</b>	T467X2S	Poisoning by peripheral vasodilators, intentional self-harm, sequela	Mental Health	Self-Harm/Suicidal Ideation
<b>MBD034</b>	T468X2S	Poisoning by antivaricose drugs, including sclerosing agents, intentional self-harm, sequela	Mental Health	Self-Harm/Suicidal Ideation
<b>MBD034</b>	T46902S	Poisoning by unspecified agents primarily affecting the cardiovascular system, intentional self-harm, sequela	Mental Health	Self-Harm/Suicidal Ideation
<b>MBD034</b>	T46992S	Poisoning by other agents primarily affecting the cardiovascular system, intentional self-harm, sequela	Mental Health	Self-Harm/Suicidal Ideation
<b>MBD034</b>	T470X2S	Poisoning by histamine H2-receptor blockers, intentional self-harm, sequela	Mental Health	Self-Harm/Suicidal Ideation
<b>MBD034</b>	T471X2S	Poisoning by other antacids and anti-gastric-secretion drugs, intentional self-harm, sequela	Mental Health	Self-Harm/Suicidal Ideation
<b>MBD034</b>	T472X2S	Poisoning by stimulant laxatives, intentional self-harm, sequela	Mental Health	Self-Harm/Suicidal Ideation
<b>MBD034</b>	T473X2S	Poisoning by saline and osmotic laxatives, intentional self-harm, sequela	Mental Health	Self-Harm/Suicidal Ideation
<b>MBD034</b>	T474X2S	Poisoning by other laxatives, intentional self-harm, sequela	Mental Health	Self-Harm/Suicidal Ideation
<b>MBD034</b>	T475X2S	Poisoning by digestants, intentional self-harm, sequela	Mental Health	Self-Harm/Suicidal Ideation
<b>MBD034</b>	T476X2S	Poisoning by antidiarrheal drugs, intentional self-harm, sequela	Mental Health	Self-Harm/Suicidal Ideation

<b>MBD034</b>	T477X2S	Poisoning by emetics, intentional self-harm, sequela	Mental Health	Self-Harm/Suicidal Ideation
<b>MBD034</b>	T478X2S	Poisoning by other agents primarily affecting gastrointestinal system, intentional self-harm, sequela	Mental Health	Self-Harm/Suicidal Ideation
<b>MBD034</b>	T4792XS	Poisoning by unspecified agents primarily affecting the gastrointestinal system, intentional self-harm, sequela	Mental Health	Self-Harm/Suicidal Ideation
<b>MBD034</b>	T480X2S	Poisoning by oxytocic drugs, intentional self-harm, sequela	Mental Health	Self-Harm/Suicidal Ideation
<b>MBD034</b>	T481X2S	Poisoning by skeletal muscle relaxants [neuromuscular blocking agents], intentional self-harm, sequela	Mental Health	Self-Harm/Suicidal Ideation
<b>MBD034</b>	T48202S	Poisoning by unspecified drugs acting on muscles, intentional self-harm, sequela	Mental Health	Self-Harm/Suicidal Ideation
<b>MBD034</b>	T48292S	Poisoning by other drugs acting on muscles, intentional self-harm, sequela	Mental Health	Self-Harm/Suicidal Ideation
<b>MBD034</b>	T483X2S	Poisoning by antitussives, intentional self-harm, sequela	Mental Health	Self-Harm/Suicidal Ideation
<b>MBD034</b>	T484X2S	Poisoning by expectorants, intentional self-harm, sequela	Mental Health	Self-Harm/Suicidal Ideation
<b>MBD034</b>	T485X2S	Poisoning by other anti-common-cold drugs, intentional self-harm, sequela	Mental Health	Self-Harm/Suicidal Ideation
<b>MBD034</b>	T486X2S	Poisoning by antiasthmatics, intentional self-harm, sequela	Mental Health	Self-Harm/Suicidal Ideation
<b>MBD034</b>	T48902S	Poisoning by unspecified agents primarily acting on the respiratory system, intentional self-harm, sequela	Mental Health	Self-Harm/Suicidal Ideation
<b>MBD034</b>	T48992S	Poisoning by other agents primarily acting on the respiratory system, intentional self-harm, sequela	Mental Health	Self-Harm/Suicidal Ideation
<b>MBD034</b>	T490X2S	Poisoning by local antifungal, anti-infective and anti-inflammatory drugs, intentional self-harm, sequela	Mental Health	Self-Harm/Suicidal Ideation
<b>MBD034</b>	T491X2S	Poisoning by antipruritics, intentional self-harm, sequela	Mental Health	Self-Harm/Suicidal Ideation
<b>MBD034</b>	T492X2S	Poisoning by local astringents and local detergents, intentional self-harm, sequela	Mental Health	Self-Harm/Suicidal Ideation
<b>MBD034</b>	T493X2S	Poisoning by emollients, demulcents and protectants, intentional self-harm, sequela	Mental Health	Self-Harm/Suicidal Ideation
<b>MBD034</b>	T494X2S	Poisoning by keratolytics, keratoplastics, and other hair treatment drugs and preparations, intentional self-harm, sequela	Mental Health	Self-Harm/Suicidal Ideation
<b>MBD034</b>	T495X2S	Poisoning by ophthalmological drugs and preparations, intentional self-harm, sequela	Mental Health	Self-Harm/Suicidal Ideation
<b>MBD034</b>	T496X2S	Poisoning by otorhinolaryngological drugs and preparations, intentional self-harm, sequela	Mental Health	Self-Harm/Suicidal Ideation
<b>MBD034</b>	T497X2S	Poisoning by dental drugs, topically applied, intentional self-harm, sequela	Mental Health	Self-Harm/Suicidal Ideation

<b>MBD034</b>	T498X2S	Poisoning by other topical agents, intentional self-harm, sequela	Mental Health	Self-Harm/Suicidal Ideation
<b>MBD034</b>	T4992XS	Poisoning by unspecified topical agent, intentional self-harm, sequela	Mental Health	Self-Harm/Suicidal Ideation
<b>MBD034</b>	T500X2S	Poisoning by mineralocorticoids and their antagonists, intentional self-harm, sequela	Mental Health	Self-Harm/Suicidal Ideation
<b>MBD034</b>	T501X2S	Poisoning by loop [high-ceiling] diuretics, intentional self-harm, sequela	Mental Health	Self-Harm/Suicidal Ideation
<b>MBD034</b>	T502X2S	Poisoning by carbonic-anhydrase inhibitors, benzothiadiazides and other diuretics, intentional self-harm, sequela	Mental Health	Self-Harm/Suicidal Ideation
<b>MBD034</b>	T503X2S	Poisoning by electrolytic, caloric and water-balance agents, intentional self-harm, sequela	Mental Health	Self-Harm/Suicidal Ideation
<b>MBD034</b>	T504X2S	Poisoning by drugs affecting uric acid metabolism, intentional self-harm, sequela	Mental Health	Self-Harm/Suicidal Ideation
<b>MBD034</b>	T505X2S	Poisoning by appetite depressants, intentional self-harm, sequela	Mental Health	Self-Harm/Suicidal Ideation
<b>MBD034</b>	T506X2S	Poisoning by antidotes and chelating agents, intentional self-harm, sequela	Mental Health	Self-Harm/Suicidal Ideation
<b>MBD034</b>	T507X2S	Poisoning by analeptics and opioid receptor antagonists, intentional self-harm, sequela	Mental Health	Self-Harm/Suicidal Ideation
<b>MBD034</b>	T508X2S	Poisoning by diagnostic agents, intentional self-harm, sequela	Mental Health	Self-Harm/Suicidal Ideation
<b>MBD034</b>	T50902S	Poisoning by unspecified drugs, medicaments and biological substances, intentional self-harm, sequela	Mental Health	Self-Harm/Suicidal Ideation
<b>MBD034</b>	T50912S	Poisoning by multiple unspecified drugs, medicaments and biological substances, intentional self-harm, sequela	Mental Health	Self-Harm/Suicidal Ideation
<b>MBD034</b>	T50992S	Poisoning by other drugs, medicaments and biological substances, intentional self-harm, sequela	Mental Health	Self-Harm/Suicidal Ideation
<b>MBD034</b>	T50A12S	Poisoning by pertussis vaccine, including combinations with a pertussis component, intentional self-harm, sequela	Mental Health	Self-Harm/Suicidal Ideation
<b>MBD034</b>	T50A22S	Poisoning by mixed bacterial vaccines without a pertussis component, intentional self-harm, sequela	Mental Health	Self-Harm/Suicidal Ideation
<b>MBD034</b>	T50A92S	Poisoning by other bacterial vaccines, intentional self-harm, sequela	Mental Health	Self-Harm/Suicidal Ideation
<b>MBD034</b>	T50B12S	Poisoning by smallpox vaccines, intentional self-harm, sequela	Mental Health	Self-Harm/Suicidal Ideation
<b>MBD034</b>	T50B92S	Poisoning by other viral vaccines, intentional self-harm, sequela	Mental Health	Self-Harm/Suicidal Ideation
<b>MBD034</b>	T50Z12S	Poisoning by immunoglobulin, intentional self-harm, sequela	Mental Health	Self-Harm/Suicidal Ideation

<b>MBD034</b>	T50Z92S	Poisoning by other vaccines and biological substances, intentional self-harm, sequela	Mental Health	Self-Harm/Suicidal Ideation
<b>MBD034</b>	T510X2S	Toxic effect of ethanol, intentional self-harm, sequela	Mental Health	Self-Harm/Suicidal Ideation
<b>MBD034</b>	T511X2S	Toxic effect of methanol, intentional self-harm, sequela	Mental Health	Self-Harm/Suicidal Ideation
<b>MBD034</b>	T512X2S	Toxic effect of 2-Propanol, intentional self-harm, sequela	Mental Health	Self-Harm/Suicidal Ideation
<b>MBD034</b>	T513X2S	Toxic effect of fusel oil, intentional self-harm, sequela	Mental Health	Self-Harm/Suicidal Ideation
<b>MBD034</b>	T518X2S	Toxic effect of other alcohols, intentional self-harm, sequela	Mental Health	Self-Harm/Suicidal Ideation
<b>MBD034</b>	T5192XS	Toxic effect of unspecified alcohol, intentional self-harm, sequela	Mental Health	Self-Harm/Suicidal Ideation
<b>MBD034</b>	T520X2S	Toxic effect of petroleum products, intentional self-harm, sequela	Mental Health	Self-Harm/Suicidal Ideation
<b>MBD034</b>	T521X2S	Toxic effect of benzene, intentional self-harm, sequela	Mental Health	Self-Harm/Suicidal Ideation
<b>MBD034</b>	T522X2S	Toxic effect of homologues of benzene, intentional self-harm, sequela	Mental Health	Self-Harm/Suicidal Ideation
<b>MBD034</b>	T523X2S	Toxic effect of glycols, intentional self-harm, sequela	Mental Health	Self-Harm/Suicidal Ideation
<b>MBD034</b>	T524X2S	Toxic effect of ketones, intentional self-harm, sequela	Mental Health	Self-Harm/Suicidal Ideation
<b>MBD034</b>	T528X2S	Toxic effect of other organic solvents, intentional self-harm, sequela	Mental Health	Self-Harm/Suicidal Ideation
<b>MBD034</b>	T5292XS	Toxic effect of unspecified organic solvent, intentional self-harm, sequela	Mental Health	Self-Harm/Suicidal Ideation
<b>MBD034</b>	T530X2S	Toxic effect of carbon tetrachloride, intentional self-harm, sequela	Mental Health	Self-Harm/Suicidal Ideation
<b>MBD034</b>	T531X2S	Toxic effect of chloroform, intentional self-harm, sequela	Mental Health	Self-Harm/Suicidal Ideation
<b>MBD034</b>	T532X2S	Toxic effect of trichloroethylene, intentional self-harm, sequela	Mental Health	Self-Harm/Suicidal Ideation
<b>MBD034</b>	T533X2S	Toxic effect of tetrachloroethylene, intentional self-harm, sequela	Mental Health	Self-Harm/Suicidal Ideation
<b>MBD034</b>	T534X2S	Toxic effect of dichloromethane, intentional self-harm, sequela	Mental Health	Self-Harm/Suicidal Ideation
<b>MBD034</b>	T535X2S	Toxic effect of chlorofluorocarbons, intentional self-harm, sequela	Mental Health	Self-Harm/Suicidal Ideation
<b>MBD034</b>	T536X2S	Toxic effect of other halogen derivatives of aliphatic hydrocarbons, intentional self-harm, sequela	Mental Health	Self-Harm/Suicidal Ideation
<b>MBD034</b>	T537X2S	Toxic effect of other halogen derivatives of aromatic hydrocarbons, intentional self-harm, sequela	Mental Health	Self-Harm/Suicidal Ideation
<b>MBD034</b>	T5392XS	Toxic effect of unspecified halogen derivatives of aliphatic and aromatic	Mental Health	Self-Harm/Suicidal Ideation

		hydrocarbons, intentional self-harm, sequela		
<b>MBD034</b>	T540X2S	Toxic effect of phenol and phenol homologues, intentional self-harm, sequela	Mental Health	Self-Harm/Suicidal Ideation
<b>MBD034</b>	T541X2S	Toxic effect of other corrosive organic compounds, intentional self-harm, sequela	Mental Health	Self-Harm/Suicidal Ideation
<b>MBD034</b>	T542X2S	Toxic effect of corrosive acids and acid-like substances, intentional self-harm, sequela	Mental Health	Self-Harm/Suicidal Ideation
<b>MBD034</b>	T543X2S	Toxic effect of corrosive alkalis and alkali-like substances, intentional self-harm, sequela	Mental Health	Self-Harm/Suicidal Ideation
<b>MBD034</b>	T5492XS	Toxic effect of unspecified corrosive substance, intentional self-harm, sequela	Mental Health	Self-Harm/Suicidal Ideation
<b>MBD034</b>	T550X2S	Toxic effect of soaps, intentional self-harm, sequela	Mental Health	Self-Harm/Suicidal Ideation
<b>MBD034</b>	T551X2S	Toxic effect of detergents, intentional self-harm, sequela	Mental Health	Self-Harm/Suicidal Ideation
<b>MBD034</b>	T560X2S	Toxic effect of lead and its compounds, intentional self-harm, sequela	Mental Health	Self-Harm/Suicidal Ideation
<b>MBD034</b>	T561X2S	Toxic effect of mercury and its compounds, intentional self-harm, sequela	Mental Health	Self-Harm/Suicidal Ideation
<b>MBD034</b>	T562X2S	Toxic effect of chromium and its compounds, intentional self-harm, sequela	Mental Health	Self-Harm/Suicidal Ideation
<b>MBD034</b>	T563X2S	Toxic effect of cadmium and its compounds, intentional self-harm, sequela	Mental Health	Self-Harm/Suicidal Ideation
<b>MBD034</b>	T564X2S	Toxic effect of copper and its compounds, intentional self-harm, sequela	Mental Health	Self-Harm/Suicidal Ideation
<b>MBD034</b>	T565X2S	Toxic effect of zinc and its compounds, intentional self-harm, sequela	Mental Health	Self-Harm/Suicidal Ideation
<b>MBD034</b>	T566X2S	Toxic effect of tin and its compounds, intentional self-harm, sequela	Mental Health	Self-Harm/Suicidal Ideation
<b>MBD034</b>	T567X2S	Toxic effect of beryllium and its compounds, intentional self-harm, sequela	Mental Health	Self-Harm/Suicidal Ideation
<b>MBD034</b>	T56812S	Toxic effect of thallium, intentional self-harm, sequela	Mental Health	Self-Harm/Suicidal Ideation
<b>MBD034</b>	T56892S	Toxic effect of other metals, intentional self-harm, sequela	Mental Health	Self-Harm/Suicidal Ideation
<b>MBD034</b>	T5692XS	Toxic effect of unspecified metal, intentional self-harm, sequela	Mental Health	Self-Harm/Suicidal Ideation
<b>MBD034</b>	T570X2S	Toxic effect of arsenic and its compounds, intentional self-harm, sequela	Mental Health	Self-Harm/Suicidal Ideation
<b>MBD034</b>	T571X2S	Toxic effect of phosphorus and its compounds, intentional self-harm, sequela	Mental Health	Self-Harm/Suicidal Ideation
<b>MBD034</b>	T572X2S	Toxic effect of manganese and its compounds, intentional self-harm, sequela	Mental Health	Self-Harm/Suicidal Ideation
<b>MBD034</b>	T573X2S	Toxic effect of hydrogen cyanide, intentional self-harm, sequela	Mental Health	Self-Harm/Suicidal Ideation

<b>MBD034</b>	T578X2S	Toxic effect of other specified inorganic substances, intentional self-harm, sequela	Mental Health	Self-Harm/Suicidal Ideation
<b>MBD034</b>	T5792XS	Toxic effect of unspecified inorganic substance, intentional self-harm, sequela	Mental Health	Self-Harm/Suicidal Ideation
<b>MBD034</b>	T5802XS	Toxic effect of carbon monoxide from motor vehicle exhaust, intentional self-harm, sequela	Mental Health	Self-Harm/Suicidal Ideation
<b>MBD034</b>	T5812XS	Toxic effect of carbon monoxide from utility gas, intentional self-harm, sequela	Mental Health	Self-Harm/Suicidal Ideation
<b>MBD034</b>	T582X2S	Toxic effect of carbon monoxide from incomplete combustion of other domestic fuels, intentional self-harm, sequela	Mental Health	Self-Harm/Suicidal Ideation
<b>MBD034</b>	T588X2S	Toxic effect of carbon monoxide from other source, intentional self-harm, sequela	Mental Health	Self-Harm/Suicidal Ideation
<b>MBD034</b>	T5892XS	Toxic effect of carbon monoxide from unspecified source, intentional self-harm, sequela	Mental Health	Self-Harm/Suicidal Ideation
<b>MBD034</b>	T590X2S	Toxic effect of nitrogen oxides, intentional self-harm, sequela	Mental Health	Self-Harm/Suicidal Ideation
<b>MBD034</b>	T591X2S	Toxic effect of sulfur dioxide, intentional self-harm, sequela	Mental Health	Self-Harm/Suicidal Ideation
<b>MBD034</b>	T592X2S	Toxic effect of formaldehyde, intentional self-harm, sequela	Mental Health	Self-Harm/Suicidal Ideation
<b>MBD034</b>	T593X2S	Toxic effect of lacrimogenic gas, intentional self-harm, sequela	Mental Health	Self-Harm/Suicidal Ideation
<b>MBD034</b>	T594X2S	Toxic effect of chlorine gas, intentional self-harm, sequela	Mental Health	Self-Harm/Suicidal Ideation
<b>MBD034</b>	T595X2S	Toxic effect of fluorine gas and hydrogen fluoride, intentional self-harm, sequela	Mental Health	Self-Harm/Suicidal Ideation
<b>MBD034</b>	T596X2S	Toxic effect of hydrogen sulfide, intentional self-harm, sequela	Mental Health	Self-Harm/Suicidal Ideation
<b>MBD034</b>	T597X2S	Toxic effect of carbon dioxide, intentional self-harm, sequela	Mental Health	Self-Harm/Suicidal Ideation
<b>MBD034</b>	T59812S	Toxic effect of smoke, intentional self-harm, sequela	Mental Health	Self-Harm/Suicidal Ideation
<b>MBD034</b>	T59892S	Toxic effect of other specified gases, fumes and vapors, intentional self-harm, sequela	Mental Health	Self-Harm/Suicidal Ideation
<b>MBD034</b>	T5992XS	Toxic effect of unspecified gases, fumes and vapors, intentional self-harm, sequela	Mental Health	Self-Harm/Suicidal Ideation
<b>MBD034</b>	T600X2S	Toxic effect of organophosphate and carbamate insecticides, intentional self-harm, sequela	Mental Health	Self-Harm/Suicidal Ideation
<b>MBD034</b>	T601X2S	Toxic effect of halogenated insecticides, intentional self-harm, sequela	Mental Health	Self-Harm/Suicidal Ideation
<b>MBD034</b>	T602X2S	Toxic effect of other insecticides, intentional self-harm, sequela	Mental Health	Self-Harm/Suicidal Ideation

<b>MBD034</b>	T603X2S	Toxic effect of herbicides and fungicides, intentional self-harm, sequela	Mental Health	Self-Harm/Suicidal Ideation
<b>MBD034</b>	T604X2S	Toxic effect of rodenticides, intentional self-harm, sequela	Mental Health	Self-Harm/Suicidal Ideation
<b>MBD034</b>	T608X2S	Toxic effect of other pesticides, intentional self-harm, sequela	Mental Health	Self-Harm/Suicidal Ideation
<b>MBD034</b>	T6092XS	Toxic effect of unspecified pesticide, intentional self-harm, sequela	Mental Health	Self-Harm/Suicidal Ideation
<b>MBD034</b>	T6102XS	Ciguatera fish poisoning, intentional self-harm, sequela	Mental Health	Self-Harm/Suicidal Ideation
<b>MBD034</b>	T6112XS	Scombroid fish poisoning, intentional self-harm, sequela	Mental Health	Self-Harm/Suicidal Ideation
<b>MBD034</b>	T61772S	Other fish poisoning, intentional self-harm, sequela	Mental Health	Self-Harm/Suicidal Ideation
<b>MBD034</b>	T61782S	Other shellfish poisoning, intentional self-harm, sequela	Mental Health	Self-Harm/Suicidal Ideation
<b>MBD034</b>	T618X2S	Toxic effect of other seafood, intentional self-harm, sequela	Mental Health	Self-Harm/Suicidal Ideation
<b>MBD034</b>	T6192XS	Toxic effect of unspecified seafood, intentional self-harm, sequela	Mental Health	Self-Harm/Suicidal Ideation
<b>MBD034</b>	T620X2S	Toxic effect of ingested mushrooms, intentional self-harm, sequela	Mental Health	Self-Harm/Suicidal Ideation
<b>MBD034</b>	T621X2S	Toxic effect of ingested berries, intentional self-harm, sequela	Mental Health	Self-Harm/Suicidal Ideation
<b>MBD034</b>	T622X2S	Toxic effect of other ingested (parts of) plant(s), intentional self-harm, sequela	Mental Health	Self-Harm/Suicidal Ideation
<b>MBD034</b>	T628X2S	Toxic effect of other specified noxious substances eaten as food, intentional self-harm, sequela	Mental Health	Self-Harm/Suicidal Ideation
<b>MBD034</b>	T6292XS	Toxic effect of unspecified noxious substance eaten as food, intentional self-harm, sequela	Mental Health	Self-Harm/Suicidal Ideation
<b>MBD034</b>	T63002S	Toxic effect of unspecified snake venom, intentional self-harm, sequela	Mental Health	Self-Harm/Suicidal Ideation
<b>MBD034</b>	T63012S	Toxic effect of rattlesnake venom, intentional self-harm, sequela	Mental Health	Self-Harm/Suicidal Ideation
<b>MBD034</b>	T63022S	Toxic effect of coral snake venom, intentional self-harm, sequela	Mental Health	Self-Harm/Suicidal Ideation
<b>MBD034</b>	T63032S	Toxic effect of taipan venom, intentional self-harm, sequela	Mental Health	Self-Harm/Suicidal Ideation
<b>MBD034</b>	T63042S	Toxic effect of cobra venom, intentional self-harm, sequela	Mental Health	Self-Harm/Suicidal Ideation
<b>MBD034</b>	T63062S	Toxic effect of venom of other North and South American snake, intentional self-harm, sequela	Mental Health	Self-Harm/Suicidal Ideation
<b>MBD034</b>	T63072S	Toxic effect of venom of other Australian snake, intentional self-harm, sequela	Mental Health	Self-Harm/Suicidal Ideation

<b>MBD034</b>	T63082S	Toxic effect of venom of other African and Asian snake, intentional self-harm, sequela	Mental Health	Self-Harm/Suicidal Ideation
<b>MBD034</b>	T63092S	Toxic effect of venom of other snake, intentional self-harm, sequela	Mental Health	Self-Harm/Suicidal Ideation
<b>MBD034</b>	T63112S	Toxic effect of venom of gila monster, intentional self-harm, sequela	Mental Health	Self-Harm/Suicidal Ideation
<b>MBD034</b>	T63122S	Toxic effect of venom of other venomous lizard, intentional self-harm, sequela	Mental Health	Self-Harm/Suicidal Ideation
<b>MBD034</b>	T63192S	Toxic effect of venom of other reptiles, intentional self-harm, sequela	Mental Health	Self-Harm/Suicidal Ideation
<b>MBD034</b>	T632X2S	Toxic effect of venom of scorpion, intentional self-harm, sequela	Mental Health	Self-Harm/Suicidal Ideation
<b>MBD034</b>	T63302S	Toxic effect of unspecified spider venom, intentional self-harm, sequela	Mental Health	Self-Harm/Suicidal Ideation
<b>MBD034</b>	T63312S	Toxic effect of venom of black widow spider, intentional self-harm, sequela	Mental Health	Self-Harm/Suicidal Ideation
<b>MBD034</b>	T63322S	Toxic effect of venom of tarantula, intentional self-harm, sequela	Mental Health	Self-Harm/Suicidal Ideation
<b>MBD034</b>	T63332S	Toxic effect of venom of brown recluse spider, intentional self-harm, sequela	Mental Health	Self-Harm/Suicidal Ideation
<b>MBD034</b>	T63392S	Toxic effect of venom of other spider, intentional self-harm, sequela	Mental Health	Self-Harm/Suicidal Ideation
<b>MBD034</b>	T63412S	Toxic effect of venom of centipedes and venomous millipedes, intentional self-harm, sequela	Mental Health	Self-Harm/Suicidal Ideation
<b>MBD034</b>	T63422S	Toxic effect of venom of ants, intentional self-harm, sequela	Mental Health	Self-Harm/Suicidal Ideation
<b>MBD034</b>	T63432S	Toxic effect of venom of caterpillars, intentional self-harm, sequela	Mental Health	Self-Harm/Suicidal Ideation
<b>MBD034</b>	T63442S	Toxic effect of venom of bees, intentional self-harm, sequela	Mental Health	Self-Harm/Suicidal Ideation
<b>MBD034</b>	T63452S	Toxic effect of venom of hornets, intentional self-harm, sequela	Mental Health	Self-Harm/Suicidal Ideation
<b>MBD034</b>	T63462S	Toxic effect of venom of wasps, intentional self-harm, sequela	Mental Health	Self-Harm/Suicidal Ideation
<b>MBD034</b>	T63482S	Toxic effect of venom of other arthropod, intentional self-harm, sequela	Mental Health	Self-Harm/Suicidal Ideation
<b>MBD034</b>	T63512S	Toxic effect of contact with stingray, intentional self-harm, sequela	Mental Health	Self-Harm/Suicidal Ideation
<b>MBD034</b>	T63592S	Toxic effect of contact with other venomous fish, intentional self-harm, sequela	Mental Health	Self-Harm/Suicidal Ideation
<b>MBD034</b>	T63612S	Toxic effect of contact with Portugese Man-o-war, intentional self-harm, sequela	Mental Health	Self-Harm/Suicidal Ideation
<b>MBD034</b>	T63622S	Toxic effect of contact with other jellyfish, intentional self-harm, sequela	Mental Health	Self-Harm/Suicidal Ideation

<b>MBD034</b>	T63632S	Toxic effect of contact with sea anemone, intentional self-harm, sequela	Mental Health	Self-Harm/Suicidal Ideation
<b>MBD034</b>	T63692S	Toxic effect of contact with other venomous marine animals, intentional self-harm, sequela	Mental Health	Self-Harm/Suicidal Ideation
<b>MBD034</b>	T63712S	Toxic effect of contact with venomous marine plant, intentional self-harm, sequela	Mental Health	Self-Harm/Suicidal Ideation
<b>MBD034</b>	T63792S	Toxic effect of contact with other venomous plant, intentional self-harm, sequela	Mental Health	Self-Harm/Suicidal Ideation
<b>MBD034</b>	T63812S	Toxic effect of contact with venomous frog, intentional self-harm, sequela	Mental Health	Self-Harm/Suicidal Ideation
<b>MBD034</b>	T63822S	Toxic effect of contact with venomous toad, intentional self-harm, sequela	Mental Health	Self-Harm/Suicidal Ideation
<b>MBD034</b>	T63832S	Toxic effect of contact with other venomous amphibian, intentional self-harm, sequela	Mental Health	Self-Harm/Suicidal Ideation
<b>MBD034</b>	T63892S	Toxic effect of contact with other venomous animals, intentional self-harm, sequela	Mental Health	Self-Harm/Suicidal Ideation
<b>MBD034</b>	T6392XS	Toxic effect of contact with unspecified venomous animal, intentional self-harm, sequela	Mental Health	Self-Harm/Suicidal Ideation
<b>MBD034</b>	T6402XS	Toxic effect of aflatoxin, intentional self-harm, sequela	Mental Health	Self-Harm/Suicidal Ideation
<b>MBD034</b>	T6482XS	Toxic effect of other mycotoxin food contaminants, intentional self-harm, sequela	Mental Health	Self-Harm/Suicidal Ideation
<b>MBD034</b>	T650X2S	Toxic effect of cyanides, intentional self-harm, sequela	Mental Health	Self-Harm/Suicidal Ideation
<b>MBD034</b>	T651X2S	Toxic effect of strychnine and its salts, intentional self-harm, sequela	Mental Health	Self-Harm/Suicidal Ideation
<b>MBD034</b>	T65212S	Toxic effect of chewing tobacco, intentional self-harm, sequela	Mental Health	Self-Harm/Suicidal Ideation
<b>MBD034</b>	T65222S	Toxic effect of tobacco cigarettes, intentional self-harm, sequela	Mental Health	Self-Harm/Suicidal Ideation
<b>MBD034</b>	T65292S	Toxic effect of other tobacco and nicotine, intentional self-harm, sequela	Mental Health	Self-Harm/Suicidal Ideation
<b>MBD034</b>	T653X2S	Toxic effect of nitroderivatives and aminoderivatives of benzene and its homologues, intentional self-harm, sequela	Mental Health	Self-Harm/Suicidal Ideation
<b>MBD034</b>	T654X2S	Toxic effect of carbon disulfide, intentional self-harm, sequela	Mental Health	Self-Harm/Suicidal Ideation
<b>MBD034</b>	T655X2S	Toxic effect of nitroglycerin and other nitric acids and esters, intentional self-harm, sequela	Mental Health	Self-Harm/Suicidal Ideation
<b>MBD034</b>	T656X2S	Toxic effect of paints and dyes, not elsewhere classified, intentional self-harm, sequela	Mental Health	Self-Harm/Suicidal Ideation
<b>MBD034</b>	T65812S	Toxic effect of latex, intentional self-harm, sequela	Mental Health	Self-Harm/Suicidal Ideation

<b>MBD034</b>	T65822S	Toxic effect of harmful algae and algae toxins, intentional self-harm, sequela	Mental Health	Self-Harm/Suicidal Ideation
<b>MBD034</b>	T65832S	Toxic effect of fiberglass, intentional self-harm, sequela	Mental Health	Self-Harm/Suicidal Ideation
<b>MBD034</b>	T65892S	Toxic effect of other specified substances, intentional self-harm, sequela	Mental Health	Self-Harm/Suicidal Ideation
<b>MBD034</b>	T6592XS	Toxic effect of unspecified substance, intentional self-harm, sequela	Mental Health	Self-Harm/Suicidal Ideation
<b>MBD034</b>	T71112S	Asphyxiation due to smothering under pillow, intentional self-harm, sequela	Mental Health	Self-Harm/Suicidal Ideation
<b>MBD034</b>	T71122S	Asphyxiation due to plastic bag, intentional self-harm, sequela	Mental Health	Self-Harm/Suicidal Ideation
<b>MBD034</b>	T71132S	Asphyxiation due to being trapped in bed linens, intentional self-harm, sequela	Mental Health	Self-Harm/Suicidal Ideation
<b>MBD034</b>	T71152S	Asphyxiation due to smothering in furniture, intentional self-harm, sequela	Mental Health	Self-Harm/Suicidal Ideation
<b>MBD034</b>	T71162S	Asphyxiation due to hanging, intentional self-harm, sequela	Mental Health	Self-Harm/Suicidal Ideation
<b>MBD034</b>	T71192S	Asphyxiation due to mechanical threat to breathing due to other causes, intentional self-harm, sequela	Mental Health	Self-Harm/Suicidal Ideation
<b>MBD034</b>	T71222S	Asphyxiation due to being trapped in a car trunk, intentional self-harm, sequela	Mental Health	Self-Harm/Suicidal Ideation
<b>MBD034</b>	T71232S	Asphyxiation due to being trapped in a (discarded) refrigerator, intentional self-harm, sequela	Mental Health	Self-Harm/Suicidal Ideation
<b>MBD034</b>	X710XXS	Intentional self-harm by drowning and submersion while in bathtub, sequela	Mental Health	Self-Harm/Suicidal Ideation
<b>MBD034</b>	X711XXS	Intentional self-harm by drowning and submersion while in swimming pool, sequela	Mental Health	Self-Harm/Suicidal Ideation
<b>MBD034</b>	X712XXS	Intentional self-harm by drowning and submersion after jump into swimming pool, sequela	Mental Health	Self-Harm/Suicidal Ideation
<b>MBD034</b>	X713XXS	Intentional self-harm by drowning and submersion in natural water, sequela	Mental Health	Self-Harm/Suicidal Ideation
<b>MBD034</b>	X718XXS	Other intentional self-harm by drowning and submersion, sequela	Mental Health	Self-Harm/Suicidal Ideation
<b>MBD034</b>	X719XXS	Intentional self-harm by drowning and submersion, unspecified, sequela	Mental Health	Self-Harm/Suicidal Ideation
<b>MBD034</b>	X72XXXS	Intentional self-harm by handgun discharge, sequela	Mental Health	Self-Harm/Suicidal Ideation
<b>MBD034</b>	X730XXS	Intentional self-harm by shotgun discharge, sequela	Mental Health	Self-Harm/Suicidal Ideation
<b>MBD034</b>	X731XXS	Intentional self-harm by hunting rifle discharge, sequela	Mental Health	Self-Harm/Suicidal Ideation
<b>MBD034</b>	X732XXS	Intentional self-harm by machine gun discharge, sequela	Mental Health	Self-Harm/Suicidal Ideation

<b>MBD034</b>	X738XXS	Intentional self-harm by other larger firearm discharge, sequela	Mental Health	Self-Harm/Suicidal Ideation
<b>MBD034</b>	X739XXS	Intentional self-harm by unspecified larger firearm discharge, sequela	Mental Health	Self-Harm/Suicidal Ideation
<b>MBD034</b>	X7401XS	Intentional self-harm by airgun, sequela	Mental Health	Self-Harm/Suicidal Ideation
<b>MBD034</b>	X7402XS	Intentional self-harm by paintball gun, sequela	Mental Health	Self-Harm/Suicidal Ideation
<b>MBD034</b>	X7409XS	Intentional self-harm by other gas, air or spring-operated gun, sequela	Mental Health	Self-Harm/Suicidal Ideation
<b>MBD034</b>	X748XXS	Intentional self-harm by other firearm discharge, sequela	Mental Health	Self-Harm/Suicidal Ideation
<b>MBD034</b>	X749XXS	Intentional self-harm by unspecified firearm discharge, sequela	Mental Health	Self-Harm/Suicidal Ideation
<b>MBD034</b>	X75XXXS	Intentional self-harm by explosive material, sequela	Mental Health	Self-Harm/Suicidal Ideation
<b>MBD034</b>	X76XXXS	Intentional self-harm by smoke, fire and flames, sequela	Mental Health	Self-Harm/Suicidal Ideation
<b>MBD034</b>	X770XXS	Intentional self-harm by steam or hot vapors, sequela	Mental Health	Self-Harm/Suicidal Ideation
<b>MBD034</b>	X771XXS	Intentional self-harm by hot tap water, sequela	Mental Health	Self-Harm/Suicidal Ideation
<b>MBD034</b>	X772XXS	Intentional self-harm by other hot fluids, sequela	Mental Health	Self-Harm/Suicidal Ideation
<b>MBD034</b>	X773XXS	Intentional self-harm by hot household appliances, sequela	Mental Health	Self-Harm/Suicidal Ideation
<b>MBD034</b>	X778XXS	Intentional self-harm by other hot objects, sequela	Mental Health	Self-Harm/Suicidal Ideation
<b>MBD034</b>	X779XXS	Intentional self-harm by unspecified hot objects, sequela	Mental Health	Self-Harm/Suicidal Ideation
<b>MBD034</b>	X780XXS	Intentional self-harm by sharp glass, sequela	Mental Health	Self-Harm/Suicidal Ideation
<b>MBD034</b>	X781XXS	Intentional self-harm by knife, sequela	Mental Health	Self-Harm/Suicidal Ideation
<b>MBD034</b>	X782XXS	Intentional self-harm by sword or dagger, sequela	Mental Health	Self-Harm/Suicidal Ideation
<b>MBD034</b>	X788XXS	Intentional self-harm by other sharp object, sequela	Mental Health	Self-Harm/Suicidal Ideation
<b>MBD034</b>	X789XXS	Intentional self-harm by unspecified sharp object, sequela	Mental Health	Self-Harm/Suicidal Ideation
<b>MBD034</b>	X79XXXS	Intentional self-harm by blunt object, sequela	Mental Health	Self-Harm/Suicidal Ideation
<b>MBD034</b>	X80XXXS	Intentional self-harm by jumping from a high place, sequela	Mental Health	Self-Harm/Suicidal Ideation
<b>MBD034</b>	X810XXS	Intentional self-harm by jumping or lying in front of motor vehicle, sequela	Mental Health	Self-Harm/Suicidal Ideation
<b>MBD034</b>	X811XXS	Intentional self-harm by jumping or lying in front of (subway) train, sequela	Mental Health	Self-Harm/Suicidal Ideation
<b>MBD034</b>	X818XXS	Intentional self-harm by jumping or lying in front of other moving object, sequela	Mental Health	Self-Harm/Suicidal Ideation

<b>MBD034</b>	X828XXS	Other intentional self-harm by crashing of motor vehicle, sequela	Mental Health	Self-Harm/Suicidal Ideation
<b>MBD034</b>	X830XXS	Intentional self-harm by crashing of aircraft, sequela	Mental Health	Self-Harm/Suicidal Ideation
<b>MBD034</b>	X831XXS	Intentional self-harm by electrocution, sequela	Mental Health	Self-Harm/Suicidal Ideation
<b>MBD034</b>	X832XXS	Intentional self-harm by exposure to extremes of cold, sequela	Mental Health	Self-Harm/Suicidal Ideation
<b>MBD034</b>	X838XXS	Intentional self-harm by other specified means, sequela	Mental Health	Self-Harm/Suicidal Ideation